

Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The following sample(s) was/were submitted and identified by the applicant

as)

| | |
|--------------------------------------|--|
| BASIC INFORMATION | |
| Type of Product | HIGH POWER LED EHP A2X |
| Supplier Company Name | EVERLIGHT |
| Address | NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN |
| Tel / Fax / Email | TEL:886-2685-6688 |
| | FAX:886-2685-6699 |
| | E-MAIL: allenchiang@everlight.com |
| Contact Person | Allen |
| EVERLIGHT REPORT NO | EVERLIGHT-HIGH POWER LED EHP A2X SERIES Sampling Product : EHP-A23/RGB33-P01/TR-SGS-15-Sep-2023 |
| PRODUCT INFORMATION | |
| Product/component Sample description | Automotive exterior lighting |
| Quantity (numbers or weight) | 0.0606 g |
| EVERLIGHT P/N | HIGH POWER LED EHP A2X SERIES Sampling Product : EHP-A23/RGB33-P01/TR |
| Product Lot No | Y230316A1802VB2WO |
| Country of Origin | TAIWAN |
| TEST INFORMATION | |
| Sample preparation | CUTTING |
| Test Method | RoHS: IEC 62321, Halogen: BS EN 14582 |
| MDL | Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg |

(Sample Submitted By) : (EVERLIGHT ELECTRONICS CO., LTD.)

(Sample Receiving Date) : 01-Sep-2023

(Testing Period) : 01-Sep-2023 to 15-Sep-2023

(Test Results) : (Please refer to following pages).



PIN CODE: A35A415F

Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Requested) : (1) RoHS 2011/65/EU Annex II (EU) 2015/863
 , DBP, BBP, DEHP, DIBP (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) PAHs (As specified by client, to test PAHs and other item(s).)

(Conclusion) : (1) , DBP, BBP, DEHP, DIBP RoHS 2011/65/EU Annex II (EU) 2015/863
 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)

(2) (AfPS) GS PAHs
 3 (Based upon the performed tests on the submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 3) Other consumer products as set by German Committee on Product Safety (AfPS) GS PAHs.)

(Test Part Description)

- No.1 : (BODY)
- No.2 : (PLATING LAYER OF SILVER COLORED METAL PIN)
- No.3 : (BASE MATERIAL OF SILVER COLORED METAL PIN)
- No.4 : () (SILVER COLORED METAL PIN (INCLUDING THE PLATING LAYER))

(Test Results)

| (Test Items) | (Method) | (Unit) | MDL | (Result) | | | (Limit) |
|---------------------|--|--------|-----|----------|------|------|---------|
| | | | | No.1 | No.2 | No.3 | |
| (Cd) (Cadmium (Cd)) | IEC 62321-5: 2013 (With reference to IEC | mg/kg | 2 | n.d. | --- | --- | 100 |
| (Pb) (Lead (Pb)) | 62321-5: 2013, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | --- | --- | 1000 |

Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| (Test Items) | (Method) | (Unit) | MDL | (Result) | | | (Limit) |
|-------------------------------------|---|--------|-----|----------|------|------|---------|
| | | | | No.1 | No.2 | No.3 | |
| (Hg) (Mercury (Hg)) | IEC 62321-4: 2013+ AMD1: 2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | --- | --- | 1000 |
| Cr(VI) (Hexavalent Chromium Cr(VI)) | IEC 62321-7-2: 2017 - (With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.) | mg/kg | 8 | n.d. | --- | --- | 1000 |
| (Cd) (Cadmium (Cd)) | IEC 62321-5: 2013 (IEC 62321-5: 2013 application of modified digestion by surface etching, analysis was performed by ICP-OES.) | mg/kg | 2 | --- | n.d. | --- | 100 |
| (Pb) (Lead (Pb)) | IEC 62321-5: 2013 (IEC 62321-5: 2013 application of modified digestion by surface etching, analysis was performed by ICP-OES.) | mg/kg | 2 | --- | 3.33 | --- | 1000 |
| (Hg) (Mercury (Hg)) | IEC 62321-4: 2013+ AMD1: 2017 (IEC 62321-4: 2013+ AMD1: 2017 application of modified digestion by surface etching, analysis was performed by ICP-OES.) | mg/kg | 2 | --- | n.d. | --- | 1000 |
| (Cd) (Cadmium (Cd)) | IEC 62321-5: 2013 (With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.) | mg/kg | 2 | --- | --- | n.d. | 100 |
| (Pb) (Lead (Pb)) | IEC 62321-5: 2013 (With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.) | mg/kg | 2 | --- | --- | 3.43 | 1000 |
| (Hg) (Mercury (Hg)) | IEC 62321-4: 2013+ AMD1: 2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.) | mg/kg | 2 | --- | --- | n.d. | 1000 |

Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| (Test Items) | (Method) | (Unit) | MDL | (Result) | | | (Limit) |
|--|--|--------|-----|----------|------|------|---------|
| | | | | No.1 | No.2 | No.3 | |
| (BBP) (Butyl benzyl phthalate (BBP)) | IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | --- | --- | 1000 |
| (DBP) (Dibutyl phthalate (DBP)) | IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | --- | --- | 1000 |
| (2-) (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP)) | IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | --- | --- | 1000 |
| (DIBP) (Diisobutyl phthalate (DIBP)) | IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | --- | --- | 1000 |
| (DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1) | IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | --- | --- | - |
| (DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0) | IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | --- | --- | - |
| (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0) | IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | --- | --- | - |
| (DNPP) (Di-n-pentyl phthalate (DNPP)) (CAS No.: 131-18-0) | IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | --- | --- | - |
| (DNHP) (Di-n-hexyl phthalate (DNHP)) (CAS No.: 84-75-3) | IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | --- | --- | - |
| (2-) (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8) | IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | --- | --- | - |
| (DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11-3) | IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | --- | --- | - |

Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| (Test Items) | (Method) | (Unit) | MDL | (Result) | | | (Limit) |
|--|---|---------|------|----------|------|------|---------|
| | | | | No.1 | No.2 | No.3 | |
| (Diisooctyl phthalate (DIOP))(a)-3(4[| IEC 62321-8: 2017 (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | / mg/kg | 50 | n.d. | --- | --- | - |
| | IEC 62321-8: 2017 (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | / mg/kg | 50 | n.d. | --- | --- | - |
| | IEC 62321: 2008 (With reference to IEC 62321: 2008, analysis was performed by GC/MS.) | / mg/kg | 5 | n.d. | --- | --- | - |
| | | mg/kg | 50 | 262 | --- | --- | - |
| | BS EN 14582: 2016 (With reference to BS EN 14582: 2016, analysis was performed by IC.) | mg/kg | 50 | n.d. | --- | --- | - |
| | | mg/kg | 50 | n.d. | --- | --- | - |
| | CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | --- | --- | - |
| | CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | --- | --- | - |
| (Be) (Beryllium (Be)) (CAS No.: 7440-41-7) | US EPA 3052: 1996 (With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | --- | --- | - |

Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| (Method) | (Unit) | MDL | (Result) | | | (Limit) |
|---|--------|-----|----------|------|------|---------|
| | | | No.1 | No.2 | No.3 | |
| (Polycyclic Aromatic Hydrocarbons) (PAHs) | | | | | | |
| (a) (Benzo[a]pyrene) (CAS No.: 50-32-8) | mg/kg | 0.2 | n.d. | --- | --- | |
| (e) (Benzo[e]pyrene) (CAS No.: 192-97-2) | mg/kg | 0.2 | n.d. | --- | --- | |
| (Benzo[a]anthracene) (CAS No.: 56-55-3) | mg/kg | 0.2 | n.d. | --- | --- | |
| (b) (Benzo[b]fluoranthene) (CAS No.: 205-99-2) | mg/kg | 0.2 | n.d. | --- | --- | |
| (j) (Benzo[j]fluoranthene) (CAS No.: 205-82-3) | mg/kg | 0.2 | n.d. | --- | --- | |
| (k) (Benzo[k]fluoranthene) (CAS No.: 207-08-9) | mg/kg | 0.2 | n.d. | --- | --- | |
| (Chrysene) (CAS No.: 218-01-9) | mg/kg | 0.2 | n.d. | --- | --- | |
| A fPS GS 2019:01 PAK / (With reference to A fPS GS 2019:01 PAK, analysis was performed by GC/MS.) | | | | | | |
| (Indeno[1,2,3-c,d]pyrene) (CAS No.: 193-39-5) | mg/kg | 0.2 | n.d. | --- | --- | |
| and) | mg/kg | 0.2 | n.d. | --- | --- | |
| | mg/kg | 0.2 | n.d. | --- | --- | |
| (Phenanthrene) (CAS No.: 85-01-8) | mg/kg | 0.2 | n.d. | --- | --- | |
| | mg/kg | 0.2 | n.d. | --- | --- | |
| | mg/kg | 0.2 | n.d. | --- | --- | |
| | mg/kg | - | n.d. | --- | --- | |

Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| (Test Items) | (Method) | (Unit) | MDL | (Result) | (Limit) |
|--|--|--------|-----|----------|---------|
| | | | | No.4 | |
| (Be) (Beryllium (Be)) (CAS No.: 7440-41-7) | US EPA 3050B: 1996 (With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | - |

(Note)

1. mg/kg = ppm 0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit ()
3. n.d. = Not Detected (); MDL / Less than MDL
4. "-" = Not Regulated ()
5. "---" = Not Conducted ()
6. (#2) =
 - a. 0.13 µg/cm² . / The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm². The sample coating is considered to contain Cr(VI).
 - b. n.d. (0.10 µg/cm²) . / The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 µg/cm²). The coating is considered a non-Cr(VI) based coating
 - c. 0.10 0.13 µg/cm² . / The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive - unavoidable coating variations may influence the determination.
7. ILAC-G8:09/2019 (w=0)
 (Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)

Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PAHs Remark

(AfPS): GS PAHs

AfPS (German commission for Product Safety): GS PAHs requirements

| (Parameter) | 1 (Category 1) | 2 (Category 2) | | 3 (Category 3) | |
|----------------------|---|---|----------------------------------|------------------------------|----------------------------------|
| | (Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended long-term skin contact (> 30 seconds)) | 1 (Materials that are not in Category 1, with intended or foreseeable long-term skin contact (> 30 seconds) or short-term repetitive contact with the skin) | a. 14 (Use by children under 14) | b. (Other consumer products) | a. 14 (Use by children under 14) |
| Naphthalene | < 1 | < 2 | | < 10 | |
| Phenanthrene | < 1 Sum | < 5 Sum | < 10 Sum | < 20 Sum | < 50 Sum |
| Anthracene | | | | | |
| Fluoranthene | | | | | |
| Pyrene | | | | | |
| Benzo[a]anthracene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Chrysene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo[b]fluoranthene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo[j]fluoranthene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo[k]fluoranthene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |

Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PFAS Remark

PFAS

PFAS

PFAS

PFAS

PFAS

(PFAS

PFAS)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

| (Classification of Substance Concentration) | (Substance Name) | CAS No. |
|--|--|------------|
| Perfluorooctane sulfonates and its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) | (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K) | 2795-39-3 |
| | (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li) | 29457-72-5 |
| | (PFOS-NH ₄) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄) | 29081-56-9 |
| | (PFOS-NH(OH) ₂) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂) | 70225-14-8 |
| | (PFOS-N(C ₂ H ₅) ₄) Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C ₂ H ₅) ₄) | 56773-42-3 |

Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| (Classification of Substance Concentration) | (Substance Name) | CAS No. |
|---|---|-------------|
| Perfluorooctane sulfonates and its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) | (PFOS-DDA) N-decyl-N,N-dimethyldecyl-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluorooctane-1-sulfonate (PFOS-DDA) | 251099-16-8 |
| | (POSF) Perfluorooctane sulfonyl fluoride (POSF) | 307-35-7 |
| | (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg) | 91036-71-4 |
| | (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na) | 4021-47-0 |
| Perfluorooctanoic acid and its salts (PFOA and its salts) (CAS No.: 335-67-1 and its salts) | (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na) | 335-95-5 |
| | (PFOA-K) Potassium perfluorooctanoate (PFOA-K) | 2395-00-8 |
| | (PFOA-Ag) Silver perfluorooctanoate (PFOA-Ag) | 335-93-3 |
| | (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F) | 335-66-0 |
| | (APFO) Ammonium pentadecafluorooctanoate (APFO) | 3825-26-1 |
| | (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li) | 17125-58-5 |



Test Report

(Page): 12 of 23



Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)


6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Flow chart of stripping method for metal analysis

/ The plating layer

of samples were dissolved totally by pre-conditioning method according to below flow chart.


Cr⁶⁺ test method excluded



Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - PBBs/PBDEs




Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Phthalate

/Test method: IEC 62321-8




Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - HBCDD




Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Halogen




Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)


(/ /) / Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)



Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/
Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)



Test Report


(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

() / Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

/Reference method US EPA 3051A US EPA 3052



* US EPA 3051A

/ US EPA 3051A method does not add HF.

Test Report


(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

ICP-OES

(Flow chart of digestion for the elements analysis performed by ICP-OES)

/ These samples were dissolved totally by pre-conditioning method according to below flow chart.



| | |
|--------------------------------------|---|
| / Steel, copper, aluminum, solder | / Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂ |
| / Glass | / HNO ₃ , HF |
| / Gold, platinum, palladium, ceramic | / Aqua regia |
| / Silver | / HNO ₃ |
| / Plastic | / H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCl |
| / Others | / Added appropriate reagent to total digestion |

Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)


6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

* / *

(The tested sample / part is marked by an arrow if it's shown on the photo.)



ETR23900021 NO.2



Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

ETR23900021 NO.4



** (End of Report) **

