

(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 1 of 23

Sample preparation CUTTING

Test Method RoHS: IEC 62321, Halogen: BS EN 14582

MDL Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg

:

(Sample Receiving Date) · O6-Mar-2024

(Sample Receiving Date) : 06-Mar-2024 (Testing Period) : 06-Mar-2024 to 15-Mar-2024

(Test Results) : (Please refer to following pages).

PIN CODE: DAB1D30F



(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 2 of 23

#### Test Report

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Requested) : (1) RoHS 2011/65/EU Annex II (EU) 2015/863 , DBP, BBP, DEHP, DIBP (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).) PAHs (As specified by client, to test PAHs and other item(s).) (Conclusion) , DBP, BBP, (1) DEHP, DIBP RoHS 2011/65/EU Annex II (EU) 2015/863 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.) (2)(AfPS) GS PAHs (Based upon the performed tests on the

submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 3) Other consumer products as set by German

Committee on Product Safety (AfPS) GS PAHs.)

#### (Test Part Description)

(BODY) No.1

No.2 (PLATING LAYER OF SILVER COLORED METAL PIN) (BASE MATERIAL OF SILVER COLORED METAL PIN) No.3

) (SILVER COLORED METAL PIN (INCLUDING THE PLATING LAYER)) No.4

#### (Test Results)

(Test Items)	(Method)	(Unit)	MDL		(Result)		(Limit)	
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013	mg/kg	2	No.1 n.d.	No.2	No.3	100	
(Pb) (Lead (Pb))	(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.			1000	



(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 3 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL		(Result)		(Limit)
(rest items)	(ivictiod)	(OTIIL)		No.1	No.2	No.3	(=1111111)
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP- OES.)	mg/kg	2	n.d.			1000
Cr(VI) (Hexavalent Chromium Cr(VI))	IEC 62321-7-2: 2017 - (With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.			1000
(Monobromobiphenyl)		mg/kg	5	n.d.			-
(Dibromobiphenyl)		mg/kg	5	n.d.			-
(Tribromobiphenyl)		mg/kg	5	n.d.			-
(Tetrabromobiphenyl)		mg/kg	5	n.d.			-
(Pentabromobiphenyl)		mg/kg	5	n.d.			-
(Hexabromobiphenyl)		mg/kg	5	n.d.			-
(Heptabromobiphenyl)		mg/kg	5	n.d.			-
(Octabromobiphenyl)		mg/kg	5	n.d.			
(Nonabromobiphenyl)	JEC / 2221 / 2015	mg/kg	5	n.d.			-
(Decabromobiphenyl)	IEC 62321-6: 2015 / (With	mg/kg	5	n.d.			-
(Sum of PBBs)	reference to IEC 62321-6:	mg/kg	-	n.d.			1000
(Monobromodiphenyl ether)	2015, analysis was performed	mg/kg	5	n.d.			-
(Dibromodiphenyl ether)	by GC/MS.)	mg/kg	5	n.d.			-
(Tribromodiphenyl ether)	by Gerivis.)	mg/kg	5	n.d.			-
(Tetrabromodiphenyl ether)		mg/kg	5	n.d.			
(Pentabromodiphenyl ether)		mg/kg	5	n.d.			-
(Hexabromodiphenyl ether)		mg/kg	5	n.d.			-
(Heptabromodiphenyl ether)		mg/kg	5	n.d.			-
(Octabromodiphenyl ether)		mg/kg	5	n.d.			_
(Nonabromodiphenyl ether)		mg/kg	5	n.d.			-
(Decabromodiphenyl ether)		mg/kg	5	n.d.			-
(Sum of PBDEs)		mg/kg	-	n.d.			1000



(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 4 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL		(Result)		(Limit)
	,	, ,		No.1	No.2	No.3	
(BBP) (Butyl benzyl phthalate (BBP))		mg/kg	50	n.d.			1000
(DBP) (Dibutyl phthalate (DBP))		mg/kg	50	n.d.			1000
(2- ) (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP))		mg/kg	50	n.d.			1000
(DIBP) (Diisobutyl phthalate (DIBP))		mg/kg	50	n.d.			1000
(DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)		mg/kg	50	n.d.			-
(DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)	IEC 62321-8: 2017	mg/kg	50	n.d.			-
(DNOP) (Di-n- octyl phthalate (DNOP)) (CAS No.: 117-84-0)	/ (With reference to IEC 62321-8: 2017, analysis was performed	mg/kg	50	n.d.			-
(DNPP) (Di-n-pentyl phthalate (DNPP)) (CAS No.: 131-18-0)	by GC/MS.)	mg/kg	50	n.d.			-
(DNHP) (Di-n- hexyl phthalate (DNHP)) (CAS No.: 84-75-3)		mg/kg	50	n.d.			-
(2- ) (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)	_	mg/kg	50	n.d.			-
(DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11-3)		mg/kg	50	n.d.			-
(DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554-26-3)		mg/kg	50	n.d.			-



(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 5 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

			MDL		<b>/-</b>		
(Test Items)	(Method)	(Unit)			(Result)		(Limit)
(0.1111.0) (0.1	150 (0004 0 004 7	/1	F.0	No.1	No.2	No.3	
(DNNP) (Di-n- nonyl phthalate (DNNP)) (CAS No.: 84-76-4)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-
(HBCDD) ( - HBCDD, - HBCDD, - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( - HBCDD, - HBCDD, - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	IEC 62321: 2008 / (With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.			-
(F) (Fluorine (F)) (CAS No.: 14762- 94-8)		mg/kg	50	n.d.			-
(CI) (Chlorine (CI)) (CAS No.: 22537-15-1)	BS EN 14582: 2016 (With reference	mg/kg	50	102			-
(Br) (Bromine (Br)) (CAS No.: 10097-32-2)	to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	8930			-
(I) (lodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.			-
(PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.			-
(PFOA and its salts) (CAS No.: 335-67-1 and its salts)	CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.			-



(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 6 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

 $\mathsf{MDL}$ 

(Method) (Unit) (Limit)

No.1 No.2 No.3

mg/kg 0.2 n.d. --- ---



(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 7 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Tost Itams)	(Mathad)	(	MDL		(Result)		(  imai+)
(Test Items)	(Method)	(Unit)		No.1	No.2	No.3	(Limit)
(Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	US EPA 3052: 1996 (With reference to US EPA 3052: 1996, analysis was performed by ICP- OES.)	mg/kg	2	n.d.			-
(Cd) (Cadmium (Cd))	IEC 62321-5: mg 2013 (IEC 62321-5: 2013 application of modified		2		n.d.		100
(Pb) (Lead (Pb))	digestion by surface etching, analysis was performed by ICP- OES.)	mg/kg	2		45.2		1000
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (IEC 62321-4: 2013+AMD1: 2017 application of modified digestion by surface etching, analysis was performed by ICP- OES.)	mg/kg	2		n.d.		1000
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013 (With reference to IEC 62321-5: 2013,	mg/kg	2			n.d.	100
(Pb) (Lead (Pb))	analysis was performed by ICP-OES.)	mg/kg	2			n.d.	1000
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017  (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2			n.d.	1000



(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 8 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	(Test Items)	(Method)	(Unit)	MDL		(Result)		(Limit)
					No.1	No.2	No.3	
(#2)		- (With reference to IEC 62321-7-		0.1		n.d.	n.d.	-
		1: 2015, analysis was performed by UV-VIS.)						

(Test Items)	(Method)	(Unit)	MDL	(Result)	(Limit)
(Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	US EPA 3050B: 1996 (With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-

(	(Note)	
1.	mg/kg = ppm $0.1wt% = 0.1% = 1000ppm$	
2.	. MDL = Method Detection Limit ( )	
3.	n.d. = Not Detected ( ); MDL / Less than MDL	
4.	."-" = Not Regulated ( )	
5.	. "" = Not Conducted ( )	
6.	(#2) =	
	a. 0.13 μg/cm <sup>2</sup>	. / The sample is positive for Cr(VI) if the Cr(VI)
	concentration is greater than 0.13 µg/cm <sup>2</sup> . The sample co	pating is considered to contain Cr(VI).
	b. n.d. ( 0.10 μg/cm <sup>2</sup> )	. / The sample is negative for Cr(VI) if Cr(VI) is
	n.d. (concentration less than $0.10\mu g/cm^2$ ). The coating is	considered a non-Cr(VI) based coating
	c. 0.10 0.13 µg/cm <sup>2</sup>	. / The result between 0.10 µg/cm² and
	0.13 µg/cm² is considered to be inconclusive - unavoidable	le coating variations may influence the determination.
7.	ILA C-G 8:09/2019 (w=0)	
	•	decision rule for conformity reporting is based on
	Binary Statement for Simple Acceptance Rule (w=0) state	3 1 3
	iudgement of conformity is based on the comparing test	<u>C</u>



(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 9 of 23

## Test Report

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PAHs Remark

(AfPS): GSPAHs

AfPS (German commission for Product Safety): GS PAHs requirements

	1 (Category 1)	2 (Cate	egory 2)	3 (Cate	egory 3)
		1		1 2	
	( 30 )	30	( )		30
	2009/48/EC 3		(Materials that	( )(Mat	erials not
	(Materials	are not in Category		covered by Catego	
	intended to be placed in the			intended or foresee	eable short-
(Parameter)	_	skin contact (> 30 s		term skin contact (	30 seconds))
	(Directive 2009/48/EC) or	short-term repetitive	ve contact with		
	articles for children up to 3	the skin)	T.		1.
	years of age with intended	a.	b.	a.	b.
	long-term skin contact (> 30	14	(Other	14	(Other
	seconds))	(Use by	consumer	(Use by	consumer
Nanhthalana	. 1	children under 14)		children under 14)	
Naphthalene	< 1	< 2		< 10	)
Phenanthrene					
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Fluoranthene	\ 1 3dill	< 3 3dill	< 10 Julii	< 20 Julii	< 50 Suiti
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1



(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 10 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

		CAS No.
(Group Name)	(Substance Name)	
	(Perfluorooctane sulfonates) (PFOS)	1763-23-1
	(PFO S-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	(PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
PFOS, &	(PFOS-NH <sub>4</sub> ) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH <sub>4</sub> )	29081-56-9
(PFOS, its salts & derivatives)	$(PFOS-NH(OH)_2)\\ Perfluorooctane sulfonate diethanolamine salt\\ (PFOS-NH(OH)_2)\\$	70225-14-8
	$ (PFO S-N (C_2H_5)_4) \\ Perfluorooctanesulfonic \\ acid, tetraethylammonium salt (PFOS-N(C_2H_5)_4) \\ $	56773-42-3
	(PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8



(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 11 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

		CAS No.
(Group Name)	(Substance Name)	
	(POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
250.0	(PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
PFOS, & (PFOS, its salts & derivatives)	(PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
		71463-74-6
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	
	(Perfluorooctanoic acid) (PFOA)	
	(PFO A - N a) Sodium perfluorooctanoate (PFOA - Na)	335-95-5
	(PFO A - K) Potassium perfluorooctanoate (PFOA - K)	2395-00-8
PFOA, &	(PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
(PFOA, its salts & derivatives)	(PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	(APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	(PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5



(No.): ETR24301198


(Date): 15-Mar-2024

(Page): 12 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.





(No.): ETR24301198

(Date): 15-Mar-2024


(Page): 13 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Flow chart of stripping method for metal analysis

/ The plating layer

of samples were dissolved totally by pre-conditioning method according to below flow chart.  ${\rm Cr}^{6+}$  test method excluded





(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 14 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - PBBs/PBDEs

/ First testing process
/ Optional screen process
/ Confirmation process
/ Sample pretreatment

/ Screen analysis

/ Sample extraction
/ Soxhlet method

/
Concentrate/Dilute extracted solution

/ Filter
/ GC/MS
/ Data



(No.): ETR24301198


(Date): 15-Mar-2024

(Page): 15 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Phthalate

/Test method: IEC 62321-8






(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 16 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - HBCDD






(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 17 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Halogen





(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 18 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

( / / / ) / Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)

/ Sample pretreatment
/
Sample extraction by ultrasonic extraction
// Concentrate/Dilute extracted solution
// Analysis was performed by GC/MS or LC/MS or LC/MS/MS

/ Data




(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 19 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)





(No.): ETR24301198 (Date): 15-Mar-2024


(Page): 20 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

( ) / Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

/Reference method US EPA 3051A US EPA 3052



\* US EPA 3051A

/ US EPA 3051A method does not add HF.



(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 21 of 23


(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### **ICP-OES**

(Flow chart of digestion for the elements analysis performed by ICP-OES)

/ These samples were dissolved totally by

pre-conditioning method according to below flow chart.



, , , / Steel, copper, aluminum, solder	, , , , Aqua regia, $\rm HNO_3$ , $\rm HCI$ , $\rm HF$ , $\rm H_2O_2$
/ Glass	, / HNO <sub>3</sub> ,HF
, , , / Gold, platinum, palladium, ceramic	/ Aqua regia
/ Silver	/ HNO <sub>3</sub>
/ Plastic	, , , / H <sub>2</sub> SO <sub>4</sub> , H <sub>2</sub> O <sub>2</sub> , HNO <sub>3</sub> , HCI
/ Others	/ Added appropriate reagent to total digestion



(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 22 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The tested sample / part is marked by an arrow if it's shown on the photo.)

#### ETR24301198 NO.1







(No.): ETR24301198

(Date): 15-Mar-2024

(Page): 23 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)





(End of Report) \*\*