

(Date): 14-Jun-2024

(Page): 1 of 24

Product/component Sample description Quantity (numbers or weight) EVERLIGHT P/N

Product Lot No Country of Origin INDICATING LAMP

0.045 g SMD A TYPE SERIES, Sampling Product : PD70-01B/S57/TR7 Y240513AT072G China

(Sample Submitted By)

(EVERLIGHT ELECTRONICS CO., LTD.)

(Sample Receiving Date) (Testing Period)



	(No.): ETR24505664	(Date): 14-Jun-2024	(Page): 2 of 24
	HT ELECTRONICS CO., LT ZHONGHUA RD., SHULIN	D.) DIST., NEW TAIPEI CITY 23860,	TAIWAN)
(by client, with reference (EU) 2015/863 to dete	HS 2011/65/EU Annex II , DBP, BBP, ce to RoHS 2011/65/EU Annex II rmine Cadmium, Lead, Mercury, ents in the submitted sample(s).)	DEHP, DIBP (As specified and amending Directive , Cr(VI), PBBs, PBDEs, DBP,
()	_,	Hs (As specified b	y client, to test PAHs and
(results of Cadmium, Le	RoHS 2011/65/EU Annex II n the performed tests on submi ead, Mercury, Cr(VI), PBBs, PBDE as set by RoHS Directive (EU) 20 :U.)	tted sample(s), the test s, DBP, BBP, DEHP, DIBP
(.	PAHs requirement (Ca	(Based upon the he test results of PAHs (15 items tegory 3) Other consumer pro t Safety (AfPS) GS PAHs.)	

No.1	(BODY)	
No.2		(PLATING LAYER OF SILVER COLORED METAL PIN)
No.3		(BASE MATERIAL OF SILVER COLORED METAL PIN)
No.4	() (SILVER COLORED METAL PIN (INCLUDING THE PLATING LAYER))

					Γ	-
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013	mg/kg	2	n.d.		 100
(Pb) (Lead (Pb))	(With reference to IEC 62321- 5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.		 1000



(Date): 14-Jun-2024

(Page): 3 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

						-
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP- OES.)	mg/kg	2	n.d.	 	1000
Cr(VI) (Hexavalent Chromium Cr(VI))	IEC 62321-7-2: 2017 - (With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	 	1000
(Monobromobiphenyl)		mg/kg	5	n.d.	 	-
(Dibromobiphenyl)		mg/kg	5	n.d.	 	-
(Tribromobiphenyl)		mg/kg	5	n.d.	 	-
(Tetrabromobiphenyl)		mg/kg	5	n.d.	 	-
(Pentabromobiphenyl)		mg/kg	5	n.d.	 	-
(Hexabromobiphenyl)		mg/kg	5	n.d.	 	-
(Heptabromobiphenyl)		mg/kg	5	n.d.	 	-
(Octabromobiphenyl)		mg/kg	5	n.d.	 	-
(Nonabromobiphenyl)		mg/kg	5	n.d.	 	-
(Decabromobiphenyl)	IEC 62321-6: 2015 / (With	mg/kg	5	n.d.	 	-
	reference to IEC 62321-6:	mg/kg	-	n.d.	 	1000
(Monobromodiphenyl ether)	2015, analysis was performed	mg/kg	5	n.d.	 	-
(Dibromodiphenyl ether)	by GC/MS.)	mg/kg	5	n.d.	 	-
(Tribromodiphenyl ether)	by Ge/1013.)	mg/kg	5	n.d.	 	-
(Tetrabromodiphenyl ether)		mg/kg	5	n.d.	 	-
(Pentabromodiphenyl ether)		mg/kg	5	n.d.	 	-
(Hexabromodiphenyl ether)		mg/kg	5	n.d.	 	-
(Heptabromodiphenyl ether)]	mg/kg	5	n.d.	 	-
(Octabromodiphenyl ether)]	mg/kg	5	n.d.	 	-
(Nonabromodiphenyl ether)]	mg/kg	5	n.d.	 	
(Decabromodiphenyl ether)]	mg/kg	5	n.d.	 	_
		mg/kg	_	n.d.	 	1000



(Date): 14-Jun-2024

(Page): 4 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

						1
(BBP) (Butyl		mg/kg	50	n.d.	 	1000
benzyl phthalate (BBP))		ing/kg	00	n.a.		1000
(DBP) (Dibutyl		mg/kg	50	n.d.	 	1000
phthalate (DBP))		ing/kg	00	n.a.		1000
(2-) (DEHP) (Di-		mg/kg	50	n.d.	 	1000
(2-ethylhexyl) phthalate (DEHP))		ing/itg	00	Th.G.		1000
(DIBP) (Diisobutyl		mg/kg	50	n.d.	 	1000
phthalate (DIBP))			00	111011		1000
(DIDP)		mg/kg	50	n.d.	 	-
(Diisodecyl phthalate (DIDP)) (CAS		3. 3				
No.: 26761-40-0, 68515-49-1)						
(DINP)		mg/kg	50	n.d.	 	-
(Diisononyl phthalate (DINP)) (CAS		0 0				
No.: 28553-12-0, 68515-48-0)						
(DNOP) (Di-n-	IEC 62321-8: 2017	mg/kg	50	n.d.	 	-
octyl phthalate (DNOP)) (CAS No.:	/ (With					
117-84-0)	reference to IEC 62321-8: 2017, analysis was performed					
(DNPP) (Di-n-	by GC/MS.)	mg/kg	50	n.d.	 	-
pentyl phthalate (DNPP)) (CAS No.:	by GC/WIS.)					
131-18-0)						
(DNHP) (Di-n-		mg/kg	50	n.d.	 	-
hexyl phthalate (DNHP)) (CAS No.:						
84-75-3)						
(2-) (DMEP)		mg/kg	50	n.d.	 	-
(Bis(2-methoxyethyl) phthalate						
(DMEP)) (CAS No.: 117-82-8)						
(DMP) (Dimethyl		mg/kg	50	n.d.	 	-
phthalate (DMP)) (CAS No.: 131-11-						
3)						
(DIOP)		mg/kg	50	n.d.	 	-
(Diisooctyl phthalate (DIOP)) (CAS						
No.: 27554-26-3)						



(Date): 14-Jun-2024

(Page): 5 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

						·
(DNNP) (Di-n- nonyl phthalate (DNNP)) (CAS No.: 84-76-4)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	 	-
(HBCDD) (- HBCDD, - HBCDD, - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (- HBCDD, - HBCDD, - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237- 51-7, 134237-50-6, 134237-52-8))	IEC 62321: 2008 / (With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.	 	-
(F) (Fluorine (F)) (CASNo.: 14762- 94-8)		mg/kg	50	n.d.	 	-
(CI) (Chlorine (CI)) (CASNo.: 22537-15-1)	BS EN 14582: 2016 (With reference	mg/kg	50	136	 	-
(Br) (Bromine (Br)) (CASNo.: 10097-32-2)	to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	 	-
(I) (lodine (I)) (CAS No.: 14362-44- 8)		mg/kg	50	n.d.	 	-
(PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	CEN /TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	 	-
(PFOA and its salts) (CAS No.: 335-67-1 and its salts)	CEN /TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	 	-



(Date): 14-Jun-2024

(Page): 6 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

mg/kg	0.2	n.d.	
mg/kg	0.2	n.d.	
mg/kg	0.2	n.d.	
mg/kg	0.2	n.d.	
mg/kg	0.2	n.d.	
mg/kg	0.2	n.d.	
mg/kg mg/kg	0.2 0.2	n.d. n.d.	
mg/kg	0.2	n.d.	
mg/kg	0.2	n.d.	
mg/kg mg/kg	0.2 0.2	n.d. n.d.	
mg/kg	0.2	n.d.	



(Date): 14-Jun-2024

(Page): 7 of 24

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Be) (Beryllium (Be)) (CASNo.: 7440-41-7)	US EPA 3052: 1996 (With reference to US EPA 3052: 1996, analysis was performed by ICP- OES.)	mg/kg	2	n.d.			-
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013 (IEC 62321-5: 2013 application of modified	mg/kg	2		n.d.		100
(Pb) (Lead (Pb))	application of modified digestion by surface etching, analysis was performed by ICP- OES.)		2		44.9		1000
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (IEC 62321-4: 2013+AMD1: 2017 application of modified digestion by surface etching, analysis was performed by ICP- OES.)	mg/kg	2		n.d.		1000
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013 (With reference to IEC 62321-5: 2013,	mg/kg	2			n.d.	100
(Pb) (Lead (Pb))	analysis was performed by ICP- OES.)	mg/kg	2			16.9	1000
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP- OES.)	mg/kg	2			n.d.	1000



(Date): 14-Jun-2024

(Page): 8 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	(Hexavalent Chromium) Cr(VI)	IEC 62321-7-1: 2015	µg/cm²	0.1	 n.d.	n.d.	-
(#2)		- (With reference to IEC 62321-7- 1: 2015, analysis was performed by UV-VIS.)					

(Be) (Beryllium (Be)) (CASNo.: 7440-41-7)	US EPA 3050B: 1996	mg/kg	2	n.d.	-
	(With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.)				

)

1. mg/kg = ppm 0.1wt% = 0.1% = 1000ppm

2. MDL = Method Detection Limit (

3. n.d. = Not Detected (); MDL / Less than MDL

)

)

- 4. "-" = Not Regulated (
- 5. "---" = Not Conducted (
- 6. (#2) =

a. $0.13 \,\mu\text{g/cm}^2$. / The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than $0.13 \,\mu\text{g/cm}^2$. The sample coating is considered to contain Cr(VI). b. n.d. ($0.10 \,\mu\text{g/cm}^2$) . / The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than $0.10 \,\mu\text{g/cm}^2$). The coating is considered a non-Cr(VI) based coating c. $0.10 - 0.13 \,\mu\text{g/cm}^2$. . / The result between $0.10 \,\mu\text{g/cm}^2$ and $0.13 \,\mu\text{g/cm}^2$ is considered to be inconclusive - unavoidable coating variations may influence the determination.

7.

ILAC-G8:09/2019 (w=0)

(Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



(Date): 14-Jun-2024

(Page): 9 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	1 (Category 1)	2 (Category 2)	3 (Category 3)
(Parameter)	intended to be placed in the	1 30 () (Materials that are not in Category 1, with intended or foreseeable long-term skin contact (> 30 seconds) or short-term repetitive contact with the skin) a. b. 14 (Other (Use by children under 14)	term skin contact (30 seconds))



(Date): 14-Jun-2024

(Page): 10 of 24

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PFAS	PFA S		PFA S		
			PFAS		PFAS
	(PFA S		PFAS)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The

 $(PFOS-NH(OH)_2) \qquad 70225-14-8$ Perfluorooctane sulfonate diethanolamine salt $(PFOS-NH(OH)_2) \qquad (PFOS-N(C_2H_5)_4) \qquad 56773-42-3$ Perfluorooctanesulfonic
acid,tetraethylammonium salt $(PFOS-N(C_2H_5)_4) \qquad (PFOS-DDA)$ N-decyl-N,N-dimethyldecan-1-aminium
1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8heptadecafluorooctane-1-sulfonate (PFOS-DDA)



(Page): 11 of 24



(Date): 14-Jun-2024

(Page): 12 of 24




(Date): 14-Jun-2024

(Page): 13 of 24

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

These samples were dissolved totally by pre-conditioning method according to below flow chart.






(Date): 14-Jun-2024

/ The plating layer

(Page): 14 of 24

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

of samples were dissolved totally by pre-conditioning method according to below flow chart. Cr⁶⁺ test method excluded






(Date): 14-Jun-2024

(Page): 15 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 14-Jun-2024

(Page): 16 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 14-Jun-2024

(Page): 17 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 14-Jun-2024

(Page): 18 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 14-Jun-2024

(Page): 19 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 14-Jun-2024

(Page): 20 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)





(Date): 14-Jun-2024

(Page): 21 of 24

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, YPE E HO




(Date): 14-Jun-2024

(Page): 22 of 24

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ These samples were dissolved totally by

pre-conditioning method according to below flow chart.



, , , / Steel, copper, aluminum, solder	, , , , / Aqua regia, HNO $_3$, HCI, HF, H $_2$ O $_2$
/ Glass	, / HNO ₃ ,HF
, , , / Gold, platinum, palladium, ceramic	/ Aqua regia
/ Silver	/ HNO ₃
/ Plastic	, , , / H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
/ Others	/ Added appropriate reagent to total digestion

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



(Date): 14-Jun-2024

(Page): 23 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)





(Date): 14-Jun-2024


(Page): 24 of 24

(EVERLIGHT ELECTRONICS CO., LTD.)





ETR24505664 NO.4



(End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

**